

Certified Aging in Place Specialist Practice Test Questions and Answers

1. What is the recommended minimum width for doorways to accommodate wheelchairs?

- A) 30 inches
- B) 32 inches
- C) 34 inches
- D) 36 inches

2. Which bathroom modification is most critical for fall prevention in aging adults?

- A) Installing a bidet
- B) Adding grab bars near the toilet and shower
- C) Upgrading to a luxury bathtub
- D) Installing heated floors

3. What is the maximum recommended height for light switches in aging-in-place design?

- A) 42 inches
- B) 44 inches
- C) 46 inches
- D) 48 inches

4. Which flooring type is most suitable for aging-in-place modifications?

- A) High-gloss hardwood
- B) Thick carpet with padding
- C) Non-slip vinyl or laminate
- D) Polished ceramic tile

Answers: 1-D 2-B 3-D 4-C

For More Certified Aging in Place Specialist Questions and Answers FREE, Certified Aging in Place Specialist Online Prep Training, Certified Aging in Place Specialist Exam, Certified Aging in Place Specialist Study Guide, Certified Aging in Place Specialist Flashcards, Certified Aging in Place Specialist Quizzes visit:

Certified Aging in Place Specialist Practice Test

Practice Test Geeks © All Rights Reserved